

Product Data Sheet

Anti-Rat IgA (alpha chain specific) Antibodies and conjugates

Cat# 50019	Goat Anti-Rat IgA, unlabeled	Size: 0.5 mg	Form: Liquid	Powder
Cat# 50020	Goat Anti-Rat IgA-HRP conjugate	Size: 0.5 ml	Form: Liquid	Powder
Cat# 50040	Goat Anti-Rat IgA-Biotin conjugate	Size: 0.5 ml	Form: Liquid	Powder

Description

Goats were immunized with antigen grade **Rat IgA**. Antibodies have been isolated using ammonium sulfate, ion-exchange, and affinity chromatography to remove non-specific antibodies. Specificity of antibody has been tested using, immunodiffusion, and ELISA. The product reacts with IgA with no significant reactivity with IgG, or other serum proteins. The antibody may recognize other species IgA. Purified anti-Rat IgA antibody is supplied as unlabeled or conjugated to FITC or HRP.

Form and Storage

Cat# 50019, unlabeled

The antibody is supplied in PBS, pH 7.4, and 0.05% azide in either **lyophilized** (0.5 mg) or **liquid** form (0.5 mg/0.5 ml). Reconstitute powder in PBS in 0.5 ml to prepare 1 mg/ml solution. Store at -20°C in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Cat# 50020, HRP-conjugate

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in stabilizing buffer, 0.1% proclin-500 as preservative in , either **lyophilized** (0.5 ml) or **liquid** form (0.5 mg/0.5 ml). Reconstitute powder in PBS in 0.5 ml. Store at 4°C in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:1K-1:5K for western, and 1:200-1:1000 (IHC).

Cat# 50040, Biotin-conjugate

Purified anti-rat IgA antibody was coupled to Biotin using Biotinamidocaproate N-Hydroxysuccinimide Ester (BAC) at F/P ratio ~10-20:1. The antibody is supplied in PBS, pH 7.4, 0.2% BSA and 0.05% azide in either **lyophilized** (0.1 mg) or **liquid** form (0.1 mg/0.1 ml). Reconstitute powder in PBS in 0.1 ml to prepare 1 mg/ml solution. Store at -20°C in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:5,000-1:30,000 ELISA, 1:2K-1:10K for western.

Recommended Working Dilution for ELISA

Working dilution for the specific application should be determined by the investigator to obtain the best conditions. Working solution should be prepared immediately before use and diluted solution should be discarded.

Related Material available for ADI

Rat IgG, IgM ELISA kits

Anti-Rat IgA, IgG, IgE, IgE antibodies and conjugates

ELISA kits for the detection of Rat Antibodies

Western blot recycling kit (Use the same blot/strip to probe with multiple antibodies) **Strip Antibodies in 5 minutes** (no heating or mercaptoethanol)

MSDS: A Material Safety Data Sheet is not required for this product. The product does not contain any hazardous components above 1% or any carcinogens above 0.1% as defined in 29 CFR 1910.1200, the OSHA Hazard Communication Standard. The product contains natural purified proteins in a buffer containing 0.1% or less sodium azide. MSDS can be consulted for these items. Please note that although the product is defined as not hazardous, it is still advisable to follow prudent laboratory practices when handling laboratory reagents.

This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, diagnostic, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals.

50019, 50020, 50040 70225A