

Product Data Sheet

Anti-rat IgG1 Antibodies and conjugates

<input type="checkbox"/> Cat# 50126-UL	Mouse Anti-Rat IgG1, unlabeled	Size: 0.1 mg
<input type="checkbox"/> Cat# 50126-HRP	Mouse Anti- Rat IgG1-HRP conjugate	Size: 0.5 ml
<input type="checkbox"/> Cat# 50126-FITC	Mouse Anti- Rat IgG1-FITC conjugate	Size: 0.5 ml
<input type="checkbox"/> Cat# 50126-BTN	Mouse Anti- Rat IgG1-Biotin conjugate	Size: 0.5 ml
<input type="checkbox"/> Cat# 50126-PE	Mouse Anti- Rat IgG1-PE conjugate	Size: 0.1 ml
<input type="checkbox"/> Cat# 50126-Cy5	Mouse Anti- Rat IgG1-Cy5 conjugate	Size: 0.1 ml

Mouse monoclonal antibodies were generated in rat (IgG1, k). Antibodies have been isolated using ammonium sulfate, ion-exchange, and affinity chromatography to remove non-specific antibodies. Specificity of antibody has been tested using IEP, immunodiffusion, and ELISA. The product reacts with rat IgG1 with no significant reactivity with other rat Ig's or serum proteins. The antibody may recognize other species IgG1. Purified anti-rat IgG1 antibody is supplied as unlabeled or conjugated to Biotin, FITC, HRP, PE, and Cy5.

Form and Storage

Cat# 50126-UL, Anti-Rat IgG1, unlabeled

The antibody is supplied in PBS, pH 7.4, in either **lyophilized** (100 ug) or **liquid** form (see lot sp conc on the vial) with **No preservatives**. If necessary, 0.01% azide or 0.05% can be added to prevent microbial growth. Reconstitute powder in PBS in 0.1 ml to prepare 1 mg/ml solution. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Cat# 50126-HRP, Anti-Rat IgG1-HRP-conjugate

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in stabilizing buffer, 0.1% proclin-300 as preservative in either **lyophilized** or **liquid** form (0.5 ml). Reconstitute powder in PBS in 0.5 ml. Store at 4oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:1K-1:5K for western, and 1:200-1:1000 (IHC).

Cat# 50126-FITC, Anti-rat IgG1-FITC-conjugate

Purified antibody was coupled to FITC at F/P ratio ~3:7. The antibody is supplied in PBS, pH 7.4, 0.2% BSA and 0.05% azide in either **lyophilized** (0.5 ml) or **liquid** form (0.5 ml). Reconstitute powder in PBS in 0.5 ml. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:200-1:1000 for immunofluorescence.

Absorption Wavelength: 495 nm
Emission Wavelength: 528 nm

Cat# 50126-BTN, Anti-Rat IgG1-Biotin-conjugate

Purified antibody was coupled to Biotin using Biotinamidocaproate N-Hydroxysuccinimide Ester (BAC) at F/P

ratio ~10-20:1. The antibody is supplied in PBS, pH 7.4, 0.2% BSA and 0.05% azide in either **lyophilized** or **liquid** form (0.5 ml). Reconstitute powder in PBS in 0.5 ml. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:2K-1:10K for western.

Cat# 50126-PE, PE-conjugate

The purified antibody was coupled to R-Phycoerythrin (R-PE) (Molecular Weight 240,000 daltons) from seaweed using proprietary methods (A565nm/A280nm ~3-4).

Absorption: 490 nm, 545 nm and 565 nm
Emission Wavelength: 580 nm

The conjugate is provided in PBS, pH 7.5, containing 0.1% bovine serum albumin, (BSA) 0.05% sodium azide and stabilizing agent). **DO NOT FREEZE**. The product should be stored at 4oC and is stable for a minimum of 1 year. Do not store diluted solutions.

Recommended usage is ~10 ul/10⁶ cells for Flow cytometry or FACS. Due to many experimental variations, optimum concn must be determined for a given applications

Cat# 50126-Cy5, Cy5-conjugate

Purified antibody was coupled to Cy5.29 (Cyanine 5.29-OSu) (Mol wt 975 Daltons) at F/P ratio ~6:1. The antibody is supplied in PBS, pH 7.4, 0.5% BSA, IgG, and 0.05% azide in either **lyophilized** or **liquid** form (0.1 ml). Reconstitute powder in PBS in 0.1 ml. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Absorption Wavelength: 650 nm
Emission Wavelength: 667 nm

Suggested conjugate dilutions are 1:100-1:500 for immunofluorescence. Users must optimize the dilutions for a given technique. Recommended usage is ~10 ul/10⁶ cells for Flow cytometry or FACS

Related Material available for ADI

Rat IgG,, IgM ELISA kits

Anti-rat IgG (H+L), IgG1-3antibodies and conjugates
ELISA kits for the detection of rat Antibodies

Western blot recycling kit (Use the same blot/strip to probe with multiple antibodies) **Strip Antibodies in 5 minutes** (no heating or mercaptoethanol)

50126 100804A