

Product Data Sheet

Anti-Rat IgM (mu chain specific) antibodies and conjugates

Cat# 50419	Goat Anti-Rat IgM, unlabeled	Size: 0.5 mg	Form: Liquid	Powder
Cat# 50420	Goat Anti-Rat IgM-HRP conjugate	Size: 0.5 ml	Form: Liquid	Powder
Cat# 50430	Goat Anti-Rat IgM-FITC conjugate	Size: 0.5 ml	Form: Liquid	Powder
Cat# 50440	Goat Anti-Rat IgM-Biotin conjugate	Size: 0.5 ml	Form: Liquid	Powder

Description

Goats were immunized with antigen grade Rat IgM. Antibodies have been isolated using ammonium sulfate, ion-exchange, and affinity chromatography and solid phase adsorbed to remove reactivity with IgA, IgG and other serum proteins. Purified anti-Rat IgM is supplied as unlabeled, -HRP, -AP, FITC and biotin conjugate.

Purity/Specificity

Specificity of antibodies has been tested using IEP, immunodiffusion, and ELISA. The antibodies yielded a single precipitin arc against anti-Rat serum and Rat IgM. No antibody reactivity is detected to other Rat serum proteins, IgA and IgG. Anti-Rat IgM may crossreact with IgM from other species.

Form and Storage

Cat# 50419, Anti-Rat IgM, unlabeled

The antibody is supplied in PBS, pH 7.4, and 0.05% azide in either **lyophilized** (0.5 mg) or **liquid** form (0.5 mg/0.5 ml). Reconstitute powder in PBS in 0.5 ml to prepare 0.5 mg/ml stock solution. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Cat# 50420, Anti-Rat IgM-HRP-conjugate

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in stabilizing buffer, 0.1% prolcin-500 as preservative in either **lyophilized** (0.5 ml) or **liquid** form (0.5 mg/ml). Reconstitute powder in PBS in 1 ml. Store at 4oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:1K-1:5K for western, and 1:200-1:1000 (IHC).

Cat# 50450, Anti-Rat IgM-FITC-conjugate

Purified anti-Rat IgM antibody was coupled to FITC at F/P ratio ~3:7. The antibody is supplied in PBS, pH 7.4, 0.2% BSA and 0.05% azide in either **lyophilized** (0.5 ml) or **liquid** form (0.5 mg/0.5 ml). Reconstitute powder in PBS in 0.5 ml to prepare 1 mg/ml solution. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:200-1:2000 for immunofluorescence.

Absorption Wavelength: 495 nm

Emission Wavelength: 528 nm

Cat# 50440, Anti-Rat IgM-Biotin-conjugate

Purified anti-Rat IgM antibody was coupled to Biotin using ADI Biotinylation kit # 80300 at F/P ratio ~10-20:1. The antibody is supplied in PBS, pH 7.4, 0.2% BSA and 0.05% azide in either **lyophilized** (0.5 mg) or **liquid** form (0.5 mg/0.5 ml). Reconstitute powder in PBS in 0.5 ml to prepare 1 mg/ml solution. Store at -20oC in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:5,000-1:50,000 ELISA, 1:2K-1:10K for western.

Recommended Working Dilution for ELISA

Working dilution for the specific application should be determined by the investigator to obtain the best conditions. Working solution should be prepared immediately before use and diluted solution should be discarded.

Related Material available for ADI

Rat IgG, IgM, IgA ELISA kits

Anti-Rat IgM, IgG, IgG (H+L), IgG (H+L) antibodies and conjugates

ELISA kits for the detection of Rat Antibodies

50419, 50420, 50430, 50440

70225A