



Product Data Sheet

Anti-Horse IgG Antibodies and Conjugates

|                    |   |                     |
|--------------------|---|---------------------|
| <b>Cat # 80880</b> | Rabbit Anti-Horse IgG (H+L), unlabeled aff pure | <b>Size:</b> 0.5 mg |
| <b>Cat # 80881</b> | Rabbit Anti-Horse IgG (H+L)-HRP conjugate       | <b>Size:</b> 0.5 ml |

Rabbits were immunized with antigen grade **horse IgG**. Whole IgG antibodies are isolated as intact molecules from antisera by immunoaffinity chromatography. They have an Fc portion and two antigen binding Fab portions joined together by disulfide bonds and therefore they are divalent. The average molecular weight is reported to be about 160 kDa. The whole IgG form of antibodies is suitable for the majority of immunodetection procedures and is the most cost effective.

Based on immunoelectrophoresis and/or ELISA, the antibody reacts with whole molecule horse IgG. It also reacts with the light chains of other horse immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. The antibody may cross-react with immunoglobulins from other species.

Purified anti-horse IgG antibody is supplied as unlabeled or conjugated to HRP.

**Form and Storage**

**Cat # 80880, Anti-Horse IgG, unlabeled**

The antibody is supplied in PBS, pH 7.4, and 0.09% azide in **liquid** form (lot specific conc on the vial). Store at 4°C for short term or -20°C in suitable aliquots. Stability is ~12 months. Avoid repeated freezing and thawing.

Suggested Working Concentration: 10-20 ug/ml

**Cat # 80881, Anti-Horse IgG -HRP-conjugate**

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in PBS containing 0.2% BSA in lyophilized or **liquid** form (lot specific conc on the vial). Store at 4°C. Stability is ~12 months. Do not freeze and thaw.

If supplied in lyophilized form, reconstitute with 1.5 ml dH2O and centrifuge if not clear. Prepare working dilution on day of use.

Suggested conjugate dilutions are 1:5000-1:100,000 ELISA and Western blotting with chromogenic substrates, 1:10,000 - 1:200,000 for Western blotting with ECL substrates, and 1:500-1:5000 (IHC).

**Recommended Working Dilution for ELISA**

Working dilution for the specific application should be determined by the investigator to obtain the best conditions. Working solution should be prepared immediately before use and diluted solution should be discarded.

**Related Material available for ADI**

| Catalog# | Product Description                                    |
|----------|--|
| 80819    | Goat Anti-Horse IgG (H+L), unlabeled aff pure          |
| 80820    | Goat Anti-Horse IgG (H+L)-HRP conjugate                |
| 80840    | Goat Anti-Horse IgG (H+L)-Biotin conjugate             |
| 80850    | Goat Anti-Horse IgG (Fc), unlabeled aff pure           |
| 80851    | Goat Anti-Horse IgG (Fc)-HRP conjugate                 |
| 80852-HP | Goat Anti-Horse IgG F(ab') <sub>2</sub> -HRP conjugate |
| 80852-UL | Goat Anti-Horse IgG F(ab') <sub>2</sub> IgG, aff pure  |
| 80860    | Goat Anti-Horse IgM, unlabeled aff pure                |
| 80861    | Goat Anti-Horse IgM-HRP conjugate                      |
| 80870    | Goat Anti-Horse IgE, unlabeled aff pure                |
| 80871    | Goat Anti-Horse IgE-HRP conjugate                      |
| 80872-U  | Monoclonal Anti-Horse IgE, unlabeled                   |

80880 200626AC

India Contact:

Life Technologies (India) Pvt. Ltd.  
306, Aggarwal City Mall, Opposite M2K Pitampura, Delhi - 110034 (INDIA). Ph: +91-11-42208000, 42208111, 42208222, Mobile: +91-9810521400, Fax: +91-11-42208444  
Email: customerservice@lifetechindia.com Website: www.lifetechindia.com