


## HO-3867

<b>Cat. No.:</b>	HY-100453		
<b>CAS No.:</b>	1172133-28-6		
<b>Molecular Formula:</b>	C <sub>28</sub> H <sub>30</sub> F <sub>2</sub> N <sub>2</sub> O <sub>2</sub>		
<b>Molecular Weight:</b>	464.55		
<b>Target:</b>	STAT; Apoptosis		
<b>Pathway:</b>	JAK/STAT Signaling; Stem Cell/Wnt; Apoptosis		
<b>Storage:</b>	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



### SOLVENT & SOLUBILITY

#### In Vitro

DMSO : ≥ 32 mg/mL (68.88 mM)  
 H<sub>2</sub>O : < 0.1 mg/mL (insoluble)  
 \* "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	2.1526 mL	10.7631 mL	21.5262 mL
	5 mM	0.4305 mL	2.1526 mL	4.3052 mL
	10 mM	0.2153 mL	1.0763 mL	2.1526 mL

Please refer to the solubility information to select the appropriate solvent.

#### In Vivo

- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)  
 Solubility: 2.5 mg/mL (5.38 mM); Suspended solution; Need ultrasonic
- Add each solvent one by one: 10% DMSO >> 90% corn oil  
 Solubility: ≥ 2.5 mg/mL (5.38 mM); Clear solution

### BIOLOGICAL ACTIVITY

<b>Description</b>	HO-3867 is a selective and potent STAT3 inhibitor and shows good antitumor activity.
<b>IC<sub>50</sub> &amp; Target</b>	STAT3
<b>In Vitro</b>	HO-3867 exhibit minimal toxicity toward noncancerous cells and tissues but induce apoptosis in ovarian cancer cells. HO-3867 inhibit cell migration/invasion and survival by inhibiting STAT3 phosphorylation <sup>[1]</sup> . BRCA-mutated ovarian cancer cells treated with HO-3867 exhibited a significant degree of apoptosis with elevated levels of cleaved caspase-3, caspase-7 and PARP <sup>[2]</sup> . HO-3867 shows good antitumor activity at the concentration of 2 μmol/L in PANC-1 and BXP-3 cells. Importantly, it

---

is also found that HO-3867 treatment significantly induced reactive oxygen species (ROS) production in human pancreatic cancer cell lines, inducing PANC-1 and BXPC-3 cells<sup>[3]</sup>.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

---

## CUSTOMER VALIDATION

- JCI Insight. 2018 Sep 6;3(17). pii: 120750.
- Int J Mol Sci. 2019 Aug 27;20(17). pii: E4202.
- J Cancer. 2020 Apr.

See more customer validations on [www.MedChemExpress.com](http://www.MedChemExpress.com)

## REFERENCES

[1]. Rath KS et al. HO-3867, a safe STAT3 inhibitor, is selectively cytotoxic to ovarian cancer. *Cancer Res.* 2014 Apr 15;74(8):2316-27.

[2]. Tierney BJ et al. HO-3867, a STAT3 inhibitor induces apoptosis by inactivation of STAT3 activity in BRCA1-mutated ovarian cancer cells. *Cancer Biol Ther.* 2012 Jul;13(9):766-75

[3]. Hu Y, et al. A novel STAT3 inhibitor HO-3867 induces cell apoptosis by reactive oxygen species-dependent endoplasmic reticulum stress in human pancreatic cancer cells. *Anticancer Drugs.* 2017 Apr;28(4):392-400.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

India Contact:

Life Technologies (India) Pvt. Ltd.

306, Aggarwal City Mall, Opposite M2K Pitampura, Delhi – 110034 (INDIA). Ph: +91-11-42208000, 42208111, 42208222, Mobile: +91-9810521400, Fax: +91-11-42208444

Email: [customerservice@lifetechindia.com](mailto:customerservice@lifetechindia.com) Website: [www.lifetechindia.com](http://www.lifetechindia.com)