

Product Specification Sheet

Mouse OREXIN-B (Hypocretin-B)

Cat. OXB12-P	Mouse Orexin-B peptide 1-28 aa full length	SIZE:	100 ug
Cat. OXB12-P-01	Mouse Orexin-B peptide 1-28 aa full length	SIZE:	1 mg
Cat. OXB12-P-05	Mouse Orexin-B peptide 1-28 aa full length	SIZE:	5 mg
Cat. OXB12-P-10	Mouse Orexin-B peptide 1-28 aa full length	SIZE:	10 mg
	FORM: Soln Lyophilized		

Several peptides associated with feeding behavior have been reported recently. Orexins (**Orexin-A** and **Orexin-B**) are a family of hypothalamic neuropeptides selectively expressed in the hypothalamus (1-2). Orexin-A and Orexin-B are derived from the same precursor (Prepro-orexin) by proteolytic cleavage. **Prepro-orexin** is 130 amino acid long peptide with a putative 33 AA secretory sequence, a hydrophobic core followed by residues with small polar side chains. The expression was detected in brain and to a small extent in testis (1-2). These neuropeptides bind and activate two closely related **Orexin receptors**--G-protein coupled receptors (GPCRs) **OX1R** and **OX2R**.

Source of peptide

Mouse/rat/human Orexin-B is 28-aa peptide. Full length Orexin-B peptide (**designated OXB12-P**) corresponding to 1-28 aa (RPG PPG LQG RLQ RLL QAN GNH AAG ILT M-amide;; mol wt. 2938) of the mouse/rat Orexin B (1-2) was synthesized and purified by HPLC. Mouse/rat Orexin-B differs from the human by 2 amino acids. Full length human Orexin-B (Cat # OXB14-P) is also available.

Full length Orexin-A produced by us has been shown to be biologically active (3).

Form & Storage of Peptides

Control/blocking peptide

100 ug/100 ul 50 ug/50 ul
solution lyophilized powder
Buffer: PBS, pH 7.5 and 0.05% sodium azide
Reconstitute in the original vol. Of water

Storage

Short-term: unopened, undiluted vials for less than a week at 4oC.

Long-term: at -20C or below in suitable aliquots after reconstitution. Do not freeze and thaw and store working, diluted solutions.

Stability: 6-12 months at -20oC or below.

Shipping: 4oC for solutions and room temp for powder.

General References:

Sakurai, T. et al. (1998) *Cell*, **92**, 573-585; DeLecca L et al (1998) *PNAS* **95**, 322-327; Kirchgessner et al (1999) *Neuron* **24**, 941; Dube MG et al (1999) *Brian res.* **842**, 473-477; Jain MR et al (2000) *Regulatory Peptides* **87**, 18-24

*This product is for *in vitro* research use only.

Related material available from ADI:

Anti-Orexin 1 and 2 receptors, Anti-pre-proorexins

Anti-CART (Cocaine and Amphetamine related transcript)

Antibodies against Leptin, Leptin receptors, Tubby, Tub Homolog, Uncoupling proteins (**UCPs**) , AGRP, etc,

Melanocortin receptors, BRS-3, **Mahogany**

Western Blot recycling kit (Use the same blot to probe with multiple antibodies OX1, OX 2, etc.) **recycle blot at room temp in 5-10 min**; No mercaptoethanol or heating required).

OXB12-01-05-10

71210A