

Product Specification Sheet

Mouse/Rat OREXIN-B (Hypocretin-B) Fragment

Cat. OXB13-P	Mouse/rat Orexin-B peptide 14-28 aa fragment			
SIZE:	100 ug	1 mg	5 mg	10 mg
FORM:	Soln	Lyophilized		

Several peptides associated with feeding behavior have been reported recently. Orexins (**Orexin-A** and **Orexin-B**) are a family of hypothalamic neuropeptides selectively expressed in the hypothalamus (1-2). Orexin-A and Orexin-B are derived from the same precursor (Prepro-orexin) by proteolytic cleavage. **Prepro-orexin** is 130 amino acid long peptide with a putative 33 AA secretory sequence, a hydrophobic core followed by residues with small polar side chains. The expression was detected in brain and to a small extent in testis (1-2). These neuropeptides bind and activate two closely related **Orexin receptors**--G-protein coupled receptors (GPCRs) **OX1R** and **OX2R**.

Source of peptide

A 15-aa peptide sequence (designated OXB13-P) corresponding to 14-28 aa (LLQ ANG NHA AGI LTM-amide) of the mouse/rat Orexin-B (1-2) was synthesized and purified by HPLC. Human Orexin-B differs from the rat/mouse by a single residue (1 aa change in human at position 5, N to S) (1-2). Full-length mouse/rat Orexin-B (Cat # OXB12-P) and human Orexin-B (Cat # OXB14-P) is also available.

Form & Storage of Peptides

Control/blocking peptide

100 ug/100 ul	50 ug/50 ul
solution	lyophilized powder
Buffer: PBS, pH 7.5 and 0.05% sodium azide	
Reconstitute in the original vol. Of water	

Storage

Short-term: unopened, undiluted vials for less than a week at 4oC.

Long-term: at -20C or below in suitable aliquots after reconstitution. Do not freeze and thaw and store working, diluted solutions.

Stability: 6-12 months at -20oC or below.
Shipping: 4oC for solutions and room temp for powder.

Recommended Usage

ELISA (1:10K-1:100K; using 50-100 ng of control peptide/well).

General References:

Sakurai, T. et al. (1998) *Cell*, **92**, 573-585; .DeLecca L et al (1998) *PNAS* **95**, 322-327

*This product is for *in vitro* research use only.

Related material available from ADI:

Anti-Orexin 1 and 2 receptors, Ant-pre-proorexins

Anti-CART (Cocaine and Amphetamine related transcript)

Antibodies against Leptin, Leptin receptors, Tubby, Tub Homolog, Uncoupling proteins (**UCPs**) , AGRP, etc,

Melanocortin receptors, BRS-3, **Mahogany**

Western Blot recycling kit (Use the same blot to probe with multiple antibodies OX1, OX 2, etc.) **recycle blot at room temp in 5-10 min**; No mercaptoethanol or heating required).

OXB13

rev. 40121S