


## Product Information Sheet



## A106 L-Ascorbic Acid

Synonym: 3-Oxo-L-gulofuranolactone, Vitamin C

CAS: 50-81-7

Formula: C<sub>6</sub>H<sub>8</sub>O<sub>6</sub>

Molecular Wt: 176.13

### Properties

Form: Powder

Appearance: White Crystalline

Application: Antioxidant; Vitamin

Solubility: Water

Typical Working Concentration: Varies with application, should be determined by end user.

Storage Temp: Room Temperature

Other Notes: Plant Tissue Culture Tested. Heat-sensitive, do not autoclave.

### Application Notes

Commonly used to overcome browning of tissues in plant tissue culture.

### References

Banerjee N & Langhe E (1985) A tissue culture technique for rapid clonal propagation and storage under minimal growth conditions of *Musa* (banana and plantain). *Plant Cell Reports*, 4(6), 351-354.

Joy Iv R.W., Patel K.R. & Thorpe T.A. (1988) Ascorbic acid enhancement of organogenesis in tobacco. *Plant Cell Tissue Organ Cult.* 13, 219-228.

Ko, W. H., Su, C. C., Chen, C. L., & Chao, C. P. (2009). Control of lethal browning of tissue culture plantlets of Cavendish banana cv. Formosana with ascorbic acid. *Plant Cell, Tissue and Organ Culture*, 96(2), 137-141.

Stasolla, C., & Yeung, E. C. (1999). Ascorbic acid improves conversion of white spruce somatic embryos. *In Vitro Cellular & Developmental Biology-Plant*, 35(4), 316-319.

Merck 13, 837

### India Contact

#### Life Technologies (India) Pvt Ltd.

306, Agarwal City Mall, Road 44, Pitampura, Delhi - 110034 (India)

A106-Info Tel: +91-11-4220-8000; 4220-8111; 4220-8222 Fax: +91-11-4220-8444, Mobile: +91-98105-21400

Email - customerservice@lifetechindia.com | customerservice@atzlabs.com