


# **PhytoTechnology Laboratories**® Helping To Build A Better Tomorrow Through Plant Science<sup>™</sup>

Your Molecular & Cell Technology Partner



**Product Information Sheet** 

C540 Carbenicillin Solution, 100 mg/mL

Synonym: α-Carboxybenzylpenicillin, Disodium Salt Formula:  $C_{17}H_{16}N_2O_6SNa_2$ Molecular Wt: 422.41

#### **Properties:**

Form:	Liquid
Appearance:	Clear, Colorless liquid
Application:	Plant Tissue Culture Antibiotic
Solubility:	Miscible with Water
Typical Working Concentration:	N/A
Storage Temp:	2 to 6° C
<b>U</b>	Plant Tissue Culture Tested

#### **Application Notes:**

Carbenicillin is a derivative of penicillin with a mode of action similar to benzylpenicillin. It is the most commonly used antibiotic for the elimination of Argobacterium tumefaciens due to its relatively low toxicity for a wide range of plant species. A concentration of 500 mg/L is recommended to achieve microbe toxicity; however, concentrations up to 1000 mg/L have been reported in plant tissue culture literature.

Please Note: While PhytoTechnology Laboratories® tests each lot of this product with two or more plant cell/ tissue culture lines, it is the sole responsibility of the purchaser to determine the appropriateness of this product for the specific plants that are being cultured and applications that are being used.

#### **References:**

Merck 13, 1801

Sweetman SC (ed) (2007), Martindale: The Complete Drug Reference 35. China: Pharmaceutical Press. Nauerby B, Billing K, and Wyndaele R. (1997) Influence of the antibiotic timentin on plant regeneration compared to carbenicillin and cefotaxime in concentrations suitable for elimination of Agrobacterium tumefaciens. Plant Science Vol. 123(1-2) pg. 169-177.

### **India Contact**

## Life Technologies (India) Pvt Ltd.