

PhytoTechnology Laboratories®

Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

H436 **Hosta Multiplication Medium** Stage II Medium

Properties

Form: Powder

Appearance: White to Yellow Application: Plant Tissue Culture

Solubility: Partially Soluble in Cold Water. Soluble in Hot Water

Typical Working

43.39 g/L

Concentration:

Storage Temp: 2-6°C

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution:

precipitates may form.

Other Notes: Contains the macro- and micronutrients as described by Murashige and Skoog (1962) and the vitamins described by Linsmaier and Skoog (1965).

Also contains agar and sucrose. Plant Tissue Culture Tested

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	332.2
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H ₂ O	0.025
Disodium EDTA •2H ₂ O	37.26
Ferrous Sulfate•7H ₂ O	27.8
Magnesium Sulfate, Anhydrous	180.7
Manganese Sulfate•H ₂ O	16.9
Molybdic Acid (Sodium Salt)• 2H ₂ O	0.25
Potassium Iodide	0.83
Potassium Nitrate	1900

Potassium Phosphate, Monobasic	300
Sodium Phosphate, Monobasic	170
Zinc Sulfate•7H ₂ O	8.6
Adenine Hemisulfate	160
Agar	8000
6-Benzylaminopurine (BA)	0.1
Casein, Enzymatic Hydrolysate	500
Glycine (Free Base)	2
myo-Inositol	100
α-Naphthaleneacetic Acid	0.5
Sucrose	30,000
Thiamine•HCI	0.4

Application Notes

Plant species: Hosta

References

H436-Info

Murashige, T and F Skoog. 1962. A revised medium for rapid growth and bio-assays with tobacco tissue cultures. Physiologia Plantarum. 15: 473-497.

Linsmaier, EM and F Skoog. 1965. Organic growth factor requirements of tobacco tissue cultures. Physiol. Plant. 18: 100-127.

Revised 4/2013 **India Contact**