Life Technologies Your Molecular & Cell Technology Partner

PhytoTechnology Laboratories®

Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

M509 **Murashige Modified Gerbera Multiplication Basal Medium**

Properties

Form: Powder

Appearance: White to Yellow Powder Application: Plant Tissue Culture

Solubility: Water

Typical Working

4.72 g/L

Concentration:

Storage Temp: 2-6°C

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution: precipitates may form.

Other Notes:

Contains the macro- and micronutrients as described by Murashige and

Skoog (1962) and modified vitamins.

Also contains (mg/L): 85 Sodium Phosphate Monobasic, 80 Adenine

Hemisulfate, 10.0 Kinetin, 0.5 IAA, 100 L-Tyrosine, and Ferric Sodium EDTA

in place of Ferrous Sulfate and Disodium EDTA.

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	333
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H ₂ O	0.025
Ferric Sodium EDTA	36.7
Magnesium Sulfate, Anhydrous	181
Manganese Sulfate•H ₂ O	16.9
Molybdic Acid (Sodium Salt) • 2H ₂ O	0.25
Potassium Iodide	0.83
Potassium Nitrate	1900

Potassium Phosphate, Monobasic	170
Sodium Phosphate, Monobasic	85
Zinc Sulfate•7H ₂ O	8.6
Adenine Hemisulfate	80
Kinetin	10.0
Indoleacetic Acid	0.5
Myo-Inositol	100
Nicotinic Acid (Free Acid)	10.0
Pyridoxine•HCl	1.0
Thiamine•HCI	30
L-Tyrosine	100

Application Notes

Plant Tissue Culture Tested. Plant species: Gerbera Daisies

References

Murashige, T and F Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15: 473-497.

Linsmaier, EM and F Skoog. 1965. Organic growth factor requirements of tobacco tissue cultures. Physiol. Plant. 18: 100-127.

India Contact

Life Technologies (India) Pvt Ltd,