™ *Phyto*Technology Laboratories, LLC™

Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

M536 Murashige Modified Multiplication Basal Medium

Properties

Form: Fine to Fluffy Powder

Appearance: White to Yellow Powder

Application: Plant Tissue Culture

Solubility: Water

Typical Working Concentration: 4.68 g/L

Storage Temp: 2-6°

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution: precipitates may form.

Other Notes: Contains the macro- and micronutrients and vitamins as described by

Murashige and Skoog (1962). Also contains (mg/L): 170 Sodium Phosphate Monobasic, 80 Adenine Hemisulfate, and 0.4 Thiamine.

pH = 3.25-4.25

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	332.2
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H ₂ O	0.025
Na ₂ EDTA•2H ₂ O	37.26
Ferrous Sulfate•7H ₂ O	27.8
Magnesium Sulfate, Anhydrous	180.7
Manganese Sulfate•H ₂ O	16.9
Molybdic Acid (Sodium Salt)•2H ₂ O	0.25
Potassium Iodide	0.83

Potassium Nitrate	1900
Potassium Phosphate, Monobasic	170
Sodium Phosphate, Monobasic	170
Zinc Sulfate•7H ₂ O	8.6
Adenine Hemisulfate	80
Glycine (Free Base)	2
myo-Inositol	100
Nicotinic Acid (Free Acid)	0.5
Pyridoxine•HCl	0.5
Thiamine•HCI	0.4

Application Notes

Plant Tissue Culture Tested

References

Murashige, T and F Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15: 473-497.

Revised 3/2007

India Contact

Life Technologies (India) Pvt Ltd.