

Product Information Sheet

M5531 Murashige & Skoog (MS) Medium w/ MES

Properties

Form:	Powder
Appearance:	White to Yellow
Application:	Plant Tissue Culture
Solubility:	Water
Typical Working	5 /3 a/l
Concentration:	5.45 g/L
Storage Temp:	2-6 °C
Storage Temp of	Preparation of concentrated solutions is not recommended as insoluble
Stock Solution:	precipitates may form.
Other Notes:	Contains the macro- and micronutrients and vitamins as described by
	Murashige and Skoog (1962). Buffered with 1 g/L MES.
	pH = Approx. 4.0

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	332.2
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H ₂ O	0.025
Na ₂ EDTA•2H ₂ O	37.26
Ferrous Sulfate•7H ₂ O	27.8
Magnesium Sulfate, Anhydrous	180.7
Manganese Sulfate•H ₂ O	16.9
Molybdic Acid (Sodium Salt)• 2H ₂ O	0.25
Potassium Iodide	0.83

Potassium Nitrate	1900
Potassium Phosphate, Monobasic	170
Zinc Sulfate•7H ₂ O	8.6
Glycine (Free Base)	2
myo-Inositol	100
Nicotinic Acid (Free Acid)	0.5
Pyridoxine•HCI	0.5
Thiamine•HCI	0.1
MES	1000

Application Notes

Plant Tissue Culture Tested Plant species: This medium is used with numerous plant species.

References

Murashige, T and F Skoog. (1962) A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15: 473-497.

India Contact