

Product Information Sheet

S816

Schenk & Hildebrandt Basal Salt Mixture

Properties

Form:	Powder
Appearance:	White to Yellow
Application:	Plant Tissue Culture
Solubility:	Water
Typical Working Concentration:	3.20 g/L
Storage Temp:	2 – 6°C
Storage Temp of Stock Solution:	Preparation of concentrated solutions is not recommended as insoluble precipitates may form.
Other Notes:	Contains the macro- and micronutrients as described by Schenk and Hildebrandt (1972). Plant Tissue Culture Tested, pH = 4.0 – 5.0.

Formula (mg/L)

A113	Ammonium Phosphate, Monobasic	300
B210	Boric Acid	5
C266	Calcium Chloride, Anhydrous	151
C350	Cobalt Chloride•6H ₂ O	0.1
C375	Cupric Sulfate•5H ₂ O	0.2
E410	Na ₂ EDTA•2H ₂ O	20
F263	Ferrous Sulfate•7H ₂ O	15

M150	Magnesium Sulfate, Anhydrous	195.4
M250	Manganese Sulfate•H ₂ O	10
M651	Molybdic Acid (Sodium Salt) •2H ₂ O	0.1
P840	Potassium Iodide	1
P100	Potassium Nitrate	2500
Z101	Zinc Sulfate•7H ₂ O	1

Application Notes

Used to tissue culture:

Abies alba (Schuller et al., 1989)

Catharanthus roseus (Mizukami et al., 1979)

Festuca arundinacea (Eizenga & Dahleen, 1990)

Gloriosa superba (Ghosh et al., 2002)

Scutellaria baicalensis suspension cultures (Yoon et al., 2000)

Polygonum tinctorium (Young-Am, 2000)

Capsicum frutescens (Holden & Yeoman, 1994)

Chamaecyparis nootkatensis (Kurz et al., 1989)

References

Eizenga, G. C., & Dahleen, L. S. (1990) Callus production, regeneration and evaluation of plants from cultured inflorescences of tall fescue (*Festuca arundinacea* Schreb.). *Plant Cell, Tissue and Organ Culture*, 22(1), 7-15.

India Contact

Life Technologies (India) Pvt Ltd.

306, Agarwal City Mall, Road 44, Pitampura, Delhi - 110034 (India)

Tel: +91-11-4220-8000; 4220-8111; 4220-8222 Fax: +91-11-4220-8444, Mobile: +91-98105-21400

Product Information Sheet

- Ghosh, B., Mukherjee, S., Jha, T. B., & Jha, S. (2002) Enhanced colchicine production in root cultures of *Gloriosa superba* by direct and indirect precursors of the biosynthetic pathway. *Biotechnology letters*, 24(3), 231-234.
- Holden, P. R., & Yeoman, M. M. (1994). Variation in the growth and biosynthetic activity of cloned cell cultures of *Capsicum frutescens* and their response to an exogenously supplied elicitor. *Plant cell, tissue and organ culture*, 38(1), 31-37.
- Kurz, M. L., Webb, D. T., & Vidaver, W. E. (1989). Micropropagation of yellow cedar (*Chamaecyparis nootkatensis*). *Plant cell, tissue and organ culture*, 18(3), 297-312.
- Mizukami, H., Nordlov, H., Lee, S. L., & Scott, A. I. (1979) Purification and properties of strictosidine synthetase (an enzyme condensing tryptamine and secologanin) from *Catharanthus roseus* cultured cells. *Biochemistry*, 18(17), 3760-3763.
- Schenk, RU and AC Hildebrandt (1972) Medium and Techniques for Induction and Growth of Monocotyledonous and Dicotyledonous Plant Cell Cultures. *Can. J. Bot.* 50: 199-204.
- Schuller, A., Reuther, G., & Geier, T. (1989) Somatic embryogenesis from seed explants of *Abies alba*. *Plant cell, tissue and organ culture*, 17(1), 53-58.
- Yoon, H. J., Kim, H. K., Ma, C. J., & Huh, H. (2000) Induced accumulation of triterpenoids in *Scutellaria baicalensis* suspension cultures using a yeast elicitor. *Biotechnology letters*, 22(13), 1071-1075.
- Young-Am, C., Yu, H. S., Song, J. S., Chun, H. K., & Park, S. U. (2000). Indigo production in hairy root cultures of *Polygonum tinctorium* Lour. *Biotechnology letters*, 22(19), 152

India Contact

Life Technologies (India) Pvt Ltd.

306, Agarwal City Mall, Road 44, Pitampura, Delhi - 110034 (India)

Tel: +91-11-4220-8000; 4220-8111; 4220-8222 Fax: +91-11-4220-8444, Mobile: +91-98105-21400

Email - customerservice@lifetechindia.com | customerservice@atzlabs.com