

## **Product Information Sheet**

# V882 Vacin & Went Modified Orchid **Basal Medium**

**Properties** 

Form: Powder

Appearance: White to Off-White Application: Orchid Culture

Solubility: Water

Typical Working Concentration:

1.67 g/L

Storage Temp: 2 – 6°C

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution: precipitates may form.

Other Notes: Contains the macro- and micronutrients as described by Vacin and Went

(1949) modified with an equivalent iron molar concentration of ferrous

sulfate in place of ferric tartrate.

Without Sucrose

## **Formula**

Ammonium Sulfate	500
Calcium Phosphate, Tribasic	200
Na <sub>2</sub> EDTA•2H <sub>2</sub> O	37.26
Ferrous Sulfate•7H <sub>2</sub> O	27.8
Magnesium Sulfate, Anhydrous	122.1
Manganese Sulfate•H <sub>2</sub> O	5.6
Potassium Nitrate	525
Potassium Phosphate, Monobasic	250
Thiamine•HCI	0.4

### **Application Notes**

Also known as VW Medium, it has been used to tissue culture: Callus of *Phalaenopsis* (Ishii et al., 1998) Vanda coerulea (Malabadi et al., 2004) Dendrobium (Aktar et al., 2007)

## **India Contact**



# **PhytoTechnology Laboratories®**

Helping to Build a Better Tomorrow through Plant Science™

## **Product Information Sheet**

#### References

- Aktar, S., Nasiruddin, K. M., & Huq, H. (2007). In vitro root formation in Dendrobium orchid plantlets with IBA. Journal of Agriculture & Rural Development, 5(1), 48-51.
- Ishii, Y., Takamura, T., Goi, M., & Tanaka, M. (1998). Callus induction and somatic embryogenesis of Phalaenopsis. Plant Cell Reports, 17(6-7), 446-450.
- Malabadi, R. B., Mulgund, G. S., & Nataraja, K. (2004). Efficient regeneration of Vanda coerulea, an endangered orchid using thidiazuron. Plant cell, tissue and organ culture, 76(3), 289-293.
- Vacin, EF and EW Went. 1949. Bot. Gaz. 110: 605-613.

## **India Contact**